

Work Order ID 100559

100559

Page 1

April-22-13 1:44:39 PM

Item ID: D3800-3-100

Accept

N900040100

Setup Start *NS1*

Revision ID:

Item Name: Hook and Loop Strip (1" Hard)

Stop *NS2*

Start Date: 4/22/13 Start Qty: 20.00

Cust Item ID:

Required Date: 4/26/13 Req'd Qty: 20.00

Customer:

Reference:

Approvals: Process Plan: MLJ Date: 13-04-24 Tooling: _____ Date: _____

Run Start *NR1*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3800	Rev B

100 0.00

100

PURCHASING

Purchasing

Memo

0.00

Purchasing

Issue P/O: 19684
Purchase Part Number: 9776K97 (5FT), 9776K113(10FT), 9776K13(15FT),
9776K23(30FT), 9776K117 (50FT), 9776K33(75FT), 9776K93(combination
pack)
Supplier: McMASTER CARR Certificate of conformity is required

CZ 13/04/24 75ft

110 0.00

110

Receive & Inspect for Damage & Mat'l Certs

Packaging

Memo

0.00

Packaging

Ensure Material Release Note is attached

13/04/24 (75)

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>	AGAINST DEPARTMENT/PROCESS <table style="width:100%;"> <tr> <td>Skid-tube <input type="checkbox"/></td> <td>Crosstube <input type="checkbox"/></td> <td>Water Jet <input type="checkbox"/></td> <td>Engineering <input type="checkbox"/></td> </tr> <tr> <td>Machining <input type="checkbox"/></td> <td>Small Fab <input type="checkbox"/></td> <td>Prod. Eng. Coord. <input type="checkbox"/></td> <td>Quality <input type="checkbox"/></td> </tr> <tr> <td>Thermoforming <input type="checkbox"/></td> <td>Finishing <input type="checkbox"/></td> <td>Rec/Store/Packaging <input type="checkbox"/></td> <td>Other <input type="checkbox"/></td> </tr> <tr> <td>Large Fab <input type="checkbox"/></td> <td>Composite <input type="checkbox"/></td> <td>Supplier <input type="checkbox"/></td> <td></td> </tr> </table>	Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>	Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>	
Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>															
Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>															
Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>															
Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>																

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data									
Equip/Tooling									
Operator									
Material									
Setup									
Other									
Process									
Supplier									
Training									
Unapproved									

FAULT CATEGORY

Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio	<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions
---	---	---

<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge	<input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other	
--	---	--

Work Order ID 100559

100559

Page 2

April-22-13 1:44:39 PM

Item ID: D3800-3-100

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Hook and Loop Strip (1" Hard)

Start Date: 4/22/13 Start Qty: 20.00

20

Cust Item ID:

Required Date: 4/26/13 Req'd Qty: 20.00

20

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start *NR1*

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120	QC6- Inspect dimensions to drawing	0.00							
120									
QC	Memo	0.00							
Quality Control									
130	Identify as per dwg & Stock Location: <i>SFD</i>	0.00							
130									
Packaging	Memo	0.00							
Packaging									
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.00							
Quality Control									

*ShA
13429*

TS FT

75 FT

SP

13/5/6

AL (30430)

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____				DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>		AGAINST DEPARTMENT/PROCESS <div style="display: flex; justify-content: space-between;"> <div> Skid-tube <input type="checkbox"/> Machining <input type="checkbox"/> Thermoforming <input type="checkbox"/> Large Fab <input type="checkbox"/> </div> <div> Crosstube <input type="checkbox"/> Small Fab <input type="checkbox"/> Finishing <input type="checkbox"/> Composite <input type="checkbox"/> </div> <div> Water Jet <input type="checkbox"/> Prod. Eng. Coord. <input type="checkbox"/> Rec/Store/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> </div> <div> Engineering <input type="checkbox"/> Quality <input type="checkbox"/> Other <input type="checkbox"/> </div> </div>					
Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector		
Doc/Data <input type="checkbox"/>											
Equip/Tooling <input type="checkbox"/>											
Operator <input type="checkbox"/>											
Material <input type="checkbox"/>											
Setup <input type="checkbox"/>											
Other <input type="checkbox"/>											
Process <input type="checkbox"/>											
Supplier <input type="checkbox"/>											
Training <input type="checkbox"/>											
Unapproved <input type="checkbox"/>											
FAULT CATEGORY											
Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube			General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio			<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions			<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge <input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other		

Picklist Print

April-22-13 1:44:38 PM

Page 1

Work Order ID: 100559

Parent Item: D3800-3-100

Start Date: 4/22/13

Required Date: 4/26/13

Parent Item Name: Hook and Loop Strip (1" Hard)

Start Qty: 20.00

Required Qty: 20.00

Comments: IPP Rev:A 08-10-21 revB as per dwg DD verified by:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
9776K93 Flame retardent nylon Hook & Loop		Purchased	No			100	f	0.0000	1	20		4/30/13	ES

NCR: Yes / No


WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____				DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>		AGAINST DEPARTMENT/PROCESS <div style="display: flex; justify-content: space-between;"> <div> Skid-tube <input type="checkbox"/> Machining <input type="checkbox"/> Thermoforming <input type="checkbox"/> Large Fab <input type="checkbox"/> </div> <div> Crosstube <input type="checkbox"/> Small Fab <input type="checkbox"/> Finishing <input type="checkbox"/> Composite <input type="checkbox"/> </div> <div> Water Jet <input type="checkbox"/> Prod. Eng. Coord. <input type="checkbox"/> Rec/Store/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> </div> <div> Engineering <input type="checkbox"/> Quality <input type="checkbox"/> Other <input type="checkbox"/> </div> </div>					
Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector		
Doc/Data <input type="checkbox"/>											
Equip/Tooling <input type="checkbox"/>											
Operator <input type="checkbox"/>											
Material <input type="checkbox"/>											
Setup <input type="checkbox"/>											
Other <input type="checkbox"/>											
Process <input type="checkbox"/>											
Supplier <input type="checkbox"/>											
Training <input type="checkbox"/>											
Unapproved <input type="checkbox"/>											
FAULT CATEGORY											
Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube			General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio			<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions			<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge <input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other		

SPECIFICATION CONTROL DRAWING



DESCRIPTION: HOOK AND LOOP STRIP WITH ADHESIVE BACK

SPECIFICATION: D3800-1-XXX-YYY LOOP STRIP (ie. SOFT VELCRO STRIP)
D3800-3-XXX-YYY HOOK STRIP (ie. HARD VELCRO STRIP) B

WHERE 'XXX' IS WIDTH IN HUNDREDTHS OF AN INCH
AND 'YYY' IS LENGTH IN TENTHS OF AN INCH

EG. 1" WIDE BY 2.5" LONG LOOP STRIP = D3800-1-100-025
2" WIDE BY 10.0" LONG HOOK STRIP = D3800-3-200-100

100559 M25
13-04-24

PART NUMBER	WIDTH	PURCHASE
D3800-1-100-YYY LOOP STRIP	1.0	McMASTER CARR P/N: 9776K122, 9776K126, 9776K18, 9776K28, 9776K131, 9776K38
D3800-3-100-YYY HOOK STRIP	1.0	McMASTER CARR P/N: 9776K97, 9776K113, 9776K13, 9776K23, 9776K117, 9776K33
D3800-1-100-YYY & D3800-3-100-YYY (PURCHASED AS COMBINATION PACK)	1.0	McMASTER CARR P/N: 9776K72, 9776K76, 9776K79, 9776K84, 9776K88, 9776K93
D3800-1-200-YYY LOOP STRIP	2.0	McMASTER CARR P/N: 9776K123, 9776K127, 9776K19, 9776K29, 9776K132, 9776K39
D3800-3-200-YYY HOOK STRIP	2.0	McMASTER CARR P/N: 9776K98, 9776K114, 9776K14, 9776K24, 9776K118, 9776K34
D3800-1-200-YYY & D3800-3-200-YYY (PURCHASED AS COMBINATION PACK)	2.0	McMASTER CARR P/N: 9776K73, 9776K77, 9776K81, 9776K85, 9776K89, 9776K94

B
B
B

NOTES:

- 1) MATERIAL: WOVEN NYLON HOOK AND LOOP WITH ADHESIVE BACK
BEIGE COLOR
ACCEPTABLE SUPPLIERS PER ABOVE TABLE
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: N/A

RELEASED
08.10.19

B	ADD 1" WIDTH OPTION, "XXX-YYY" WAS "XXX", ADD ADDITIONAL McMASTER PART NUMBERS	CP	08.09.09
A	NEW ISSUE	CP	08.06.18
REV.	DESCRIPTION	BY	DATE
DESIGN	<i>GP</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	<i>GP</i>		
CHECKED	<i>PH</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>BE</i>	D3800	SHEET 1 OF 1
APPROVED	<i>GP</i>	TITLE	SCALE
DE APPR.	<i>GP</i>	HOOK AND LOOP STRIP	NTS
DATE	08.09.09	COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO19684

Purchase Order Date 4/24/13

PO Print Date 4/24/13

Page Number 2 of 2

Order From :

VU-MCM001

MCMASTER-CARR SUPPLY CO,
P.O. BOX 7690
CHICAGO, IL 60680-7690
US

Contact Name

Vendor Phone

Vendor Fax

Vendor Account Nbr

330 995 5500

330 995 9600

Buyer

Requisition Nbr

Tax Resale Nbr

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 10

USD

Destination-Collect

5	8492A171 DRILL BUSHING	4/25/13	✓ 40.00	FedEx PI collect	\$5.6400	\$225.60
		Yes	Each			

Deliver To: J-LUC

6	37095A39 BALL POINT T-HANDLE HEY KEY 5/16	4/25/13	✓ 1.00	FedEx PI collect	\$7.2100	\$7.21
		Yes	Each			

Deliver To: PAT D

7	9776K93	Flame retardent nylon Hook & Loop	4/25/13	75.00	FedEx PI collect	\$1.4944	\$112.08
			Yes	Each			


Special Ins:

AS PER DWG D3800 REV. B
B100559
COMBINATION PACK 75 FT
MCMASTER P/N:9776K93

B 100453 50 FT
B 100559 1120

PO Total:

\$635.57



Change Nbr: 1

Change Date: 4/24/13

No substitution or deviation without
consent.

Certificate of Conformity or Material
Certification required - YES NO



200 Aurora Industrial Pkwy
Aurora OH 44202-8087
330-995-5500
cle.sales@mcmaster.com

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury ON K6A 1K7
Canada

Purchase Order
PO19684

Page 1 of 1

McMaster-Carr Number
2241773-01

04/24/2013

Line	Description	Ordered	Shipped
7	9776K93 Flame-Retardant Hook and Loop, 1" W X 75' L, Adhesive Back, Beige, Lengths of 75	1 Length	1
	Unit Price:	\$112.08	
	Extended Price:	\$112.08	

2 - 374 - 08 21 - 38 K93 1 LG

Shipped separately from our Cleveland warehouse on 04/24

1	7566K25 Cable Tie Holder, Adhesive Backed, Four Way, for .19" Max Tie Width	2 Packs	2
2	98019A390 300 Series Stainless Steel MIL Spec Flat Washer, 5/16" Size, .88" OD, .06"-.10" Thickness, NASM/MS15795-813	1 Pack	1
3	7510A653 Plastic Syringe, with Luer Lock Connection, .34 oz Capacity	10 Packs	10
4	2340A11 Mitutoyo Harsh Environment Electronic Caliper, Number 500-752-10, 0-6" (0-150MM) Range	1 Each	1
5	8492A171 Press-Fit Drill Bushing with Head, 0.1875" (3/16") ID, 1/2" OD, 1/2" Length	40 Each	40
6	37095A39 Ball-Point T-Handle Hex Key, 5/16" Hex, 10-1/2" Blade Length	1 Each	1

Dart Aerospace Ltd

EXP
INV
NAFT



2 lb.
1 lin.

EW1BSPAC
04/24/2013
14:31/14:37